



the ANSWER to
• Evaporation • Algae • Coliforms • E-coli

Big expertise. Real convenience. Concrete commitment.

The unique and patented Hexa-Cover® Floating Cover is perfect on almost any form of fluid surface.

Hexa-Cover® Floating Cover is the ideal solution for controlling such things as:

- Odour
- Emission
- UV effect
- Evaporation
- · Organic growth
- E.coli contamination

Further, the Hexa-Cover® Floating Cover deters unwanted waterfowls from landing on covered waters.

Since its launch in 2004, Hexa-Cover® Floating Cover has been chosen for a vast number of installations globally, making the Hexa-Cover® Floating Cover the market leading solution.

Today Hexa-Cover® Floating Cover is used on almost all forms of basins, lagoons, reservoirs, containers, ponds and tanks.

Tested by DLG, Testzentrum, Germany\_



The applications are many and includes:

## Water:

Wastewater
Raw - / drinking water
Cooling- and processwater
Recovery water
Irrigation water
Tailings Ponds
ILS, PLS, Refino

## Industry:

Leachate Decoction Chemicals


## Oil & Gas:

Spill-over tanks Emergency tanks Frac Water tanks Boil Feed Water

# **Agriculture:**

Storage tanks at i.e. Biogas Plants Manure and slurry tanks, lagoons etc.









# Hexa-Cover® Floating Cover ensures;

- Up to 99% coverage of the surface area
- Up to 95% reduction of evaporation
- Up to 96% reduction of emission
- Up to 96% reduction of odour
- Noticeable reduction in E.coli contamination
- Noticeable reduction in organic growth
- Noticeable reduction in heat loss



Hexa-Cover® Floating Cover is manufactured of recycled Polypropylene, without use of Freon or other harmful materials.

Hexa-Cover® Floating Cover is solid and robust and as such offers a long lifespan free of maintenance, service and repair.

### Features & Benefits:

- Fase of installation
- Installation in both full and empty tank
- Automatic distribution on the fluid surface
- Automatic adaption to changes in the level
- Fits to all shapes and geometries
- Easy adaption to changes in surface area
- Unlimited access to the liquid
- No running cost
- No repair cost
- No maintenance cost
- Needs no supervision
- Unaffected by rain, snow and frost
- Allows use of aeration
- Favourable price
- 10 years warranty
- 25 years expected lifetime



# Hexa-Cover® Floating Cover in two sizes:

265 kg

# Hexa-Cover® Floating Cover R90

Diagonal measure 180 mm Height 50 mm Weight 120 g Weight per m2  $5.15 \, kg$ Pcs per m2 43 Bia Baa 1.0 x 1.3 x 2.5 m Surface area 50 m<sup>2</sup>

Weight Pcs per per m2 Bia Baa

Height

Diagonal measure

Hexa-Cover® Floating Cover R114 228 mm 70 mm 243 q

Weight per m2 6.80 ka


1.0 x 1.3 x 2.5 m Surface area 40 m2

W eight 275 kg

Weight













# **FormDirect**

# Innovative Mining Solutions

#### **QUEENSLAND**

Head Office & Trade Shop 56 En terprise St reet Svens son Heigh ts QLD 4670 T 07 4152 8788
F 07 4152 8700

sales@formdirect.com.au

#### **VICTORIA**

**Gippsland Trade Shop** 12 Della Torre Road Moe VIC 3825 T 03 5127 2757 F 03 5127 2727

sales vic@formdirect.com.au